

BEST 480



Technical Drawing







FEATURES	
Description	1-bowl sink with drainer
Model	BEST 480
Base *(mm)*	600
Installations	Inset
Dimensions *(mm)*	1000 x 510
Hole for built-in installation *(mm)*	980 x 480
Number of Bowls	1
Bowl Depth *(mm)*	200

LOGISTIC DATA	
Gross Weight *(kg)*	19,93
Net Weight *(kg)*	13,80
Packaging Dimension *(kg)*	1080 x 575 x 300
Packaging Volume *(kg)*	0,186

PACKAGING FEATURES	
Packaging	Cardboard and polyethylene
Sink kit	Space-saving siphon, integrated Flow Pro, rectangular overflow and hooks.

KERATEK



LKB48086 K86
8031873020255



LKB48095 K95
8031873026639



LKB48096 K96
8031873020262



LKB48099 K99
8031873026653



LKB48087 K87
8031873007614



LKB48088 K88
8031873007621



LKB48089 K89
8031873007638

GRANITEK



LGB48039 G39
8031873007645

GRANITEK

METAL



LMB48079 M79
8032861953791

GRANITEK

MATT



LGB48040 G40
8032861043584



LGB48043 G43
8032861043577



LGB48048 G48
8032557030775



LGB48068 G68
8032861040705



LGB48078 G78
8032557066958

GRANITEK

CLASSIC




LGB48051 G51
8032861043539





LGB48059 G59
8032861042235





LGB48062 G62
8032861047858














Best 480

general tolerances where not expressly communicated ±0,4%
connection dimensions according to UNI EN 695
eventual exception are reported with *

elleci