


BEST 500



Technical Drawing







FEATURES	
Description	2-bowl sink with drainer
Model	BEST 500
Base *(mm)*	800
Installations	Inset
Dimensions *(mm)*	1160 x 510
Hole for built-in installation *(mm)*	1140 x 480
Number of Bowls	2
Bowl Depth *(mm)*	200

LOGISTIC DATA	
Gross Weight *(kg)*	26,02
Net Weight *(kg)*	19,20
Packaging Dimension *(kg)*	1250 x 575 x 300
Packaging Volume *(kg)*	0,216

PACKAGING FEATURES	
Packaging	Cardboard and polyethylene
Sink kit	Space-saving siphon, integrated Flow Pro, rectangular overflow and hooks.

KERATEK



LKB50086 K86
8031873020309



LKB50095 K95
8031873026677



LKB50096 K96
8031873020316



LKB50099 K99
8031873026691



LKB50087 K87
8031873007577



LKB50088 K88
8031873007584



LKB50089 K89
8031873007591

GRANITEK



LGB50039 G39
8031873007607

GRANITEK

METAL



LMB50079 M79
8032861953814

GRANITEK

MATT



LGB50040 G40
8032861043195



LGB50043 G43
8032861047223



LGB50048 G48
8032557030768



LGB50068 G68
8032861047827



LGB50078 G78
8032557066965

GRANITEK

CLASSIC




LGB50051 G51
8032861047841





LGB50059 G59
8032861047483





LGB50062 G62
8032861047865














Best 500

general tolerances where not expressly communicated ±0,4%
connection dimensions according to UNI EN 695
eventual exception are reported with *

elleci