


UNICO 305



Technical Drawing







FEATURES	
Description	1-bowl sink with drainer
Model	UNICO 305
Base *(mm)*	600
Installations	Inset
Dimensions *(mm)*	780 x 500
Hole for built-in installation *(mm)*	760 x 480
Number of Bowls	1
Bowl Depth *(mm)*	200

LOGISTIC DATA	
Gross Weight *(kg)*	14,70
Net Weight *(kg)*	11,10
Packaging Dimension *(kg)*	870 x 575 x 300
Packaging Volume *(kg)*	0,150

PACKAGING FEATURES	
Packaging	Cardboard and polyethylene
Sink kit	Space-saving siphon, wastes and hooks.

KERATEK



LKU30596 K96
8032861029687



LKU30586 K86
8032861029700



LKU30586BKM K86
8031873008017



LKU30587 K87
8031873008024



LKU30588 K88
8031873008031



LKU30589 K89
8031873008048



LKU30595 K95
8031873008055



LKU30599 K99
8031873008062

GRANITEK



LGU30540 G40
8032861068129



LGU30543 G43
8032861068136



LGU30548 G48
8032861068143



LGU30551 G51
8032861068150



LGU30559 G59
8032861068167




LGU30562 G62
8032861068174



LGU30568 G68
8032861068181



LMU30579 M79
8032557112181




LGU30578 G78
8032861068198





LGU30539 G39
8031873008079




LGU30540BKM G40
8031873008086










Fixing System



Unico 305

general tolerances where not expressly communicated ±0,4%
connection dimensions according to UNI EN 695
eventual exception are reported with *

elleci