

UNICO 500



Technical Drawing








FEATURES	
Description	2-bowl sink with drainer
Model	UNICO 500
Base *(mm)*	800
Installations	Inset
Dimensions *(mm)*	1160 x 500
Hole for built-in installation *(mm)*	1140 x 480
Number of Bowls	2
Bowl Depth *(mm)*	200

LOGISTIC DATA	
Gross Weight *(kg)*	24,44
Net Weight *(kg)*	17,90
Packaging Dimension *(kg)*	1250 x 575 x 300
Packaging Volume *(kg)*	0,216

PACKAGING FEATURES	
Packaging	Cardboard and polyethylene
Sink kit	Space-saving siphon, wastes and hooks.

KERATEK



LKU50096 K96
8031873028688



LKU50086 K86
8031873028626



LKU50087 K87
8031873007829



LKU50088 K88
8031873007836



LKU50089 K89
8031873007843



LKU50095 K95
8032861024729



LKU50099 K99
8031873028749

GRANITEK



LGU50039 G39
8031873006280

GRANITEK

METAL



LMU50079 M79
8031873110383

GRANITEK

MATT



LGU50040 G40
8032557032908



LGU50043 G43
8032557032922



LGU50048 G48
8032557032946



LGU50068 G68
8032557032885



LGU50078 G78
8032557067320

GRANITEK

CLASSIC




LGU50051 G51
8032557032861





LGU50059 G59
8032557036227




LGU50062 G62
8032557038283









Fixing System

Unico 500

general tolerances where not expressly communicated ±0,4%
connection dimensions according to UNI EN 695
eventual exception are reported with *

elleci