


UNICO 410



Technical Drawing







FEATURES	
Description	1-bowl sink with drainer
Model	UNICO 410
Base *(mm)*	600
Installations	Inset
Dimensions *(mm)*	860 x 500
Hole for built-in installation *(mm)*	840 x 480
Number of Bowls	1
Bowl Depth *(mm)*	200

LOGISTIC DATA	
Gross Weight *(kg)*	17,70
Net Weight *(kg)*	12,00
Packaging Dimension *(kg)*	940 x 575 x 300
Packaging Volume *(kg)*	0,162

PACKAGING FEATURES	
Packaging	Cardboard and polyethylene
Sink kit	Space-saving siphon, wastes and hooks.

KERATEK



LKU41096 K96
8031873028664



LKU41086 K86
8031873028602



LKU41086BKM K86
8031873007935



LKU41087 K87
8031873007942



LKU41088 K88
8031873007959



LKU41089 K89
8031873007966



LKU41095 K95
8032861022527



LKU41099 K99
8031873028725

GRANITEK



LGU41039 G39
8031873006259



LGU41040BKM G40
8031873007973

GRANITEK

METAL



LMU41079 M79
8031873110604

GRANITEK

MATT



LGU41040 G40
8032557036470



LGU41043 G43
8032557036487



LGU41048 G48
8032557036272



LGU41068 G68
8032557036500



LGU41078 G78
8032557067306

GRANITEK

CLASSIC




LGU41051 G51
8032557037651





LGU41059 G59
8032557038252





LGU41062 G62
8032557036494











Unico 410

general tolerances where not expressly communicated ±0,4%
connection dimensions according to UNI EN 695
eventual exception are reported with *

elleci